



## Printer Color Profile Instructions

Color profiles are data files that contain a description of how a particular paper, ink, and printer create all colors, shades, and densities. Using a profile will result in more accurate and consistent output.

**Printer:** Epson SureColor P5000

### Setting Recommendations

**Mode:** Off No Color Adjustment

**Print Quality:** Quality Options / SuperFine Level 4 (720x1440) – High Speed optional

### Support

How to install profiles

[www.redriverpaper.com/installprofiles](http://www.redriverpaper.com/installprofiles)

How to use profiles

[www.redriverpaper.com/useprofiles](http://www.redriverpaper.com/useprofiles)

### Some Hints



The name of the paper you are using will not be listed in the media setting drop down menu in the printer driver. That menu only has the names of manufacturer papers.

Do not use the printer driver's "Preview before printing feature". It can interrupt the color management process.

Turn on your printer's thick paper setting when using heavy weight papers.

- Epson Printers – Set Paper Thickness to recommendation on the next page.
- Platen Gap – Set to Wide if you experience head strikes – black marks or scrapes on your print.

PK = Photo Black Ink

MK = Matte Black Ink

### Contact Red River Paper

support@redriverpaper.com

888-248-8774

### Handling Guides

Check our website to see if your paper has a Handling Guide. Guides contain important information and helpful tips.

[www.redriverpaper.com/guides](http://www.redriverpaper.com/guides)

## MEDIA SETTING RECOMMENDATIONS

Paper	Media Setting	Special
<b>68lb. UltraPro Gloss 2.0</b>	Premium Glossy Photo Paper (250)	
<b>60lb. &amp; 42lb. Pecos River Gloss</b>	Premium Glossy Photo Paper (250)	
<b>96lb. Pecos River Gloss</b> <b>86lb. Pecos River Gloss Duo</b>	Premium Glossy Photo Paper (250)	<a href="#">Paper Thickness 4</a>
<b>UltraPro Luster 300</b>	Premium Luster Photo Paper (260)	
<b>68lb. UltraPro Satin 4.0</b>	Premium Luster Photo Paper (260)	
<b>66lb. Palo Duro Satin</b>	Premium Luster Photo Paper (260)	
<b>66lb. Arctic Polar Satin</b>	Premium Luster Photo Paper (260)	
<b>Arctic Polar Luster – All Weights</b>	Premium Luster Photo Paper (260)	
<b>Polar Metallic Papers</b>	Premium Glossy Photo Paper (250)	
<b>Premium Matte Papers – All Weights</b>	Ultra Premium Presentation Paper Matte	
<b>60lb. Polar Matte / Double Sided</b>	Ultra Premium Presentation Paper Matte	
<b>88lb. Polar Matte</b>	Ultra Premium Presentation Paper Matte	<a href="#">Paper Thickness 4</a>
<b>60lb. River Linen 2.0</b>	Ultra Premium Presentation Paper Matte	
<b>60lb. Paper Canvas</b>	Ultra Premium Presentation Paper Matte	
<b>Aurora Art Natural</b>	Hot Press Natural	<a href="#">Paper Thickness 4</a> Color Density -5%
<b>Aurora Art White</b>	Ultra Premium Presentation Paper Matte	<a href="#">Paper Thickness 4</a> Color Density -5%
<b>San Gabriel Baryta SemiGloss 2.0</b>	Premium Luster Photo Paper (260)	<a href="#">Paper Thickness 4</a>
<b>Blanco Matte Canvas</b>	Exhibition Canvas Matte	<a href="#">Platen Gap Wide</a> <a href="#">Paper Thickness 5</a>
<b>Blanco Satin Canvas</b>	Exhibition Canvas Satin	<a href="#">Platen Gap Wide</a> <a href="#">Paper Thickness 5</a>
<b>Palo Duro SoftGloss Rag</b>	Legacy Platine	<a href="#">Paper Thickness 4</a>
<b>Palo Duro Etching 315</b>	Cold Press Natural	<a href="#">Paper Thickness 5</a>
<b>Palo Duro Smooth 310</b>	Ultra Smooth Fine Art Paper	<a href="#">Paper Thickness 5</a>

## P5000 Insider Notes

### Special Controls

**Mac** - From the Print menu locate the Advanced Media Control.

You will find Paper Thickness, Platen Gap, and Color Density controls therein.

From: 1 to: 1

Advanced Media Control

Color Density: 0 -50 +50 (%)

Drying Time per Print Head Pass: 0 0 +50 (0.1sec)

Paper Feed Adjustment: 0 -10 +10 (0.01%)

Paper Thickness: 3 (0.1mm)

Platen Gap: Standard

Default

PDF Hide Details Cancel Print

**Windows** - From the Main tab locate and click on the Paper Config button.

You will find Paper Thickness, Platen Gap, and Color Density controls in the Paper Configuration dialog.

